



AN EFFECTIVE STRATGY OF NETWORK RELATED OT AD HOC PHENOMENA IN ALLOCATION OF REPLICA

Afshan Fatima¹, B.Sudhakar²

¹M.Tech Student, Dept of CSE, Mannan Institute of Science & Technology, Chevella, R.R Dist,
A.P, India

²Professor & HOD, Dept of CSE, Mannan Institute of Science & Technology, Chevella, R.R Dist,
A.P, India

ABSTRACT:

Here the networks oriented with respect to the mobile and the ad hoc based strategy in which it is well oriented with respect to the constraints of the resource and the mobility in a well oriented fashion relative networks of the nodes based mobile based partitioning of the network oriented strategy or the degradation of the performance takes place in the system in a well oriented fashion respectively. For the minimization of the degradation of the performance plays a crucial role in its implementation aspect in a well oriented fashion there is an accurate implementation of the algorithms in a well oriented fashion by the technique related to the different types of the algorithms in a well oriented fashion respectively. Here a lot of analysis takes place about the number of the users that their assumption is related to the collaborative networks oriented with respect to the mobile based strategy in a well oriented fashion by the help of the memory space sharing plays a crucial role in its implementation. Here there are some of the nodes in which they are act as a selfish strategy for the partial co operation takes place in the system without the help of the other nodes respectively. Here the network oriented data accessibility can be reduced by the help of the nodes related opt the selfish strategy in a well efficient manner respectively. Here a new technique is proposed in the present system in which related to the well known analysis with respect to the of the networks related to the mobile and the ad hoc strategy by the allocation perspective oriented with the help of the selfish strategy is a major concern respectively. Here the

Here the allocation of the selfish replica takes place in the system. Here the implementation of the system takes place in a well efficient manner where by which detection of the selfish nodes have been developed in a well oriented fashion allocation of the techniques related to the partial selfishness respectively. Experiments have been conducted on the present method and there is a lot of analysis takes place on the system with respect to the accurate analysis in terms of the improvement in the performance followed by the outcome of the entire system in a well oriented fashion respectively.

Keywords: *Allocation of selfish replica, Selfishness of degree, Networks of the mobile and ad hoc strategy respectively.*

1. INTRODUCTION:

Here the networks related to the ad hoc and the mobile phenomena plays a crucial and the well effective role in its implementation aspect in a well oriented fashion there is a lot of attention related to the well effective strategy of the MANETS is a major concern in its implementation aspect respectively. It is one of the technique where the network related to the mobile oriented wireless strategy for a multi hop of the peer to peer phenomena in a central server based fixed infra structure in a well oriented fashion respectively. Where these are termed as the routers by the nodes of the MANETS in a well respective fashion.

BLOCK DIAGRAM




Fig1: shows the block diagram of the present method respectively

2. METHODOLOGY

In this paper a method is designed with a well oriented design based implementation in which it is effective on compared to the several previous methods in

terms of its implementation oriented strategy in a well respective fashion. Here the implementation of the present method is shown in the below figure in the form of the block diagram and explains in a elaborative fashion respectively[1][2]. Here there is a huge challenge for the present method where it is supposed to implement the system and accurately analyze the problems related to the several previous methods and also with respect to the theoretical aspects based strategy in a well efficient manner respectively[4]. Here the present method completely overcome the drawbacks of the several previous methods in a well efficient manner both in terms of the entire system based outcome followed by the accurate analysis in terms of the performance based strategy respectively[8][9].

3. EXPECTED RESULTS

A comparative analysis is made between the present method to that of the several previous methods in a well efficient manner and are shown below in the form of the comparative analysis oriented with the graphical representation and explains in a elaborative fashion. A number of the simulations have been conducted on the present method and a huge analysis is made

on the large number of the data set in a well oriented fashion with respect to the different types of the environment in a well efficient fashion respectively. Here we finally conclude that the present method is effective and efficient in terms of the performance based strategy followed by the accurate analysis towards the entire system in a well oriented scenario.




Fig2: shows the graphical representation of the present method respectively

4. CONCLUSION

In this paper a method is designed with a well effective framework where there is a powerful technique for the implementation oriented with the accurate analysis of the system in terms of the performance followed by the outcome of the entire system in a well oriented fashion respectively. In this paper a system is designed by the network oriented viewpoint

in a well effective manner by which related to the problem oriented addressing of the allocation of the selfish nodes in a well oriented fashion respectively. Here this particular problem is termed as the allocation of the selfish replica in a well stipulated fashion respectively. Here this particular problem is mainly causes complete degradation of the system related to the scenario of the MANETS for the accessibility of the poor data in a well oriented fashion respectively. Here a new technique is proposed in order to overcome the above problem with respect to the method oriented with respect to the detection of the selfish nodes in a well oriented fashion related to the handling of the techniques oriented with the allocation strategy plays a crucial role for the appropriate allocation oriented phenomena respectively. Here we finally conclude that the present method is effective and efficient in terms of the performance followed by the outcome in a well oriented fashion respectively.

REFERENCES

[1] G. Ding and B. Bhargava, "Peer-to-Peer File-Sharing over Mobile Ad Hoc Networks," Proc. IEEE Ann. Conf. Pervasive Computing and Comm. Workshops, pp. 104-108, 2004.

[2] G. Cao, L. Yin, and C.R. Das, "Cooperative Cache-Based Data Access in Ad Hoc Networks," Computer, vol. 37, no. 2, pp. 32-39, Feb. 2004.

[3] K. Balakrishnan, J. Deng, and P.K. Varshney, "TWOACK: Preventing Selfishness in Mobile Ad Hoc Networks," Proc. IEEE Wireless Comm. and Networking, pp. 2137-2142, 2005.

[4] J. Broch, D.A. Maltz, D.B. Johnson, Y.-C. Hu, and J. Jetcheva, "A Performance Comparison of Multi-Hop Wireless Ad Hoc Network Routing Protocols," Proc. ACM MobiCom, pp. 85-97, 1998.

[5] E. Damiani, S.D.C. di Vimercati, S. Paraboschi, and P. Samarati, "Managing and Sharing Servents' Reputations in P2P Systems," IEEE Trans. Knowledge and Data Eng., vol. 15, no. 4, pp. 840-854, July/Aug. 2003.

[6] B.-G. Chun, K. Chaudhuri, H. Wee, M. Barreno, C.H. Papadimitriou, and J. Kubiatiowicz, "Selfish Caching in Distributed Systems: A Game-Theoretic Analysis," Proc. ACM Symp. Principles of Distributed Computing, pp. 21-30, 2004.

[7] R.F. Baumeister and M.R. Leary, "The Need to Belong: Desire for Interpersonal Attachments as a Fundamental Human Motivation," Psychological Bull., vol. 117, no. 3, pp. 497-529, 1995.

[8] D. Hales, "From Selfish Nodes to Cooperative Networks - Emergent Link-Based Incentives in Peer-to-Peer Networks," Proc. IEEE Int'l Conf. Peer-to-Peer Computing, pp. 151-158, 2004.

[9] L. Anderegg and S. Eidenbenz, "Ad Hoc-VCG: A Truthful and Cost-Efficient Routing Protocol for Mobile Ad Hoc Networks with Selfish Agents," Proc. ACM MobiCom, pp. 245-259, 2003.

[10] M. Feldman and J. Chuang, "Overcoming Free-Riding Behavior in Peer-to-Peer Systems," SIGecom Exchanges, vol. 5, no. 4, pp. 41-50, 2005.